


# Aqua Grinder

## NASSSCHLIFF

WET GRINDING

**Edelstahlausführung**

**Stainless steel execution**




**Für alle Materialien**  
**For all Materials**

- ✓ **Finishing**
- ✓ **Schleifen - Grinding**
- ✓ **Entgraten - Deburring**




# A-300 Nassschliff


**Aqua - Grinder** **Wet Grinding**




## Konfiguration / Configuration




**R**



**2R**



**3R**



**4R**

**... für alle Anforderungen**  
**Arbeitsbreite 300 mm**  
**Materiallänge unbegrenzt**

**... for all demands**  
**working width 300 mm**  
**Material length unlimited**


**Schleifen + Entgraten**

**Grinding and deburring**



# A-300 Nassschliff

Aqua - Grinder Wet Grinding



**... Ideal**  
**für 4 - Kantrohr | square pipes**  
**Flachstahl | flat steel**



**High End Finishing**

**Technische Daten / technical data**

Type Aqua Grinder	A-200 R	A-200 2R	A-200 3R	A-200 4R	A-300 R	A-300 2R	A-300 3R	A-300 4R
Anzahl der Aggregate Numer of heads	1 -- 4							
Walzenaggregat KW Roller head (HP)	5,5 -- 7,5 (7,4 --10) pro Aggregat / per head							
Bürstenaggregate KW Brushaggregate (HP)	5,5 -- 7,5 (7,4 --10) pro Aggregat / per head							
Druckluft bar Compressed air (psi)	6,0 (87)							
Schleifband mm Abrasive belt (inch)	200 x 1900 (7,8 x 75)				300 x 1900 (11,8 x 1900)			
Arbeitsbreite mm working width (inch)	200 (7,8)				300 (11,8)			
<b>Maschinenabmessungen Machine dimension</b>	<b>Maschine in Edelstahlausführung, Machine execution in stainless steel</b>							
Länge mm Lenght (inch)	1500 (59)	1900 (75)	2400 (94)	2700 (106)	1500 (59)	1900 (75)	2400 (94)	2700 (106)
Breite mm width (inch)	1250 (49)	1250 (49)	1250 (49)	1250 (49)	1350 (53)	1350 (53)	1350 (53)	1350 (53)
Höhe mm Height (inch)	2000 (78,7)	2000 (78,7)	2000 (78,7)	2000 (78,7)	2000 (78,7)	2000 (78,7)	2000 (78,7)	2000 (78,7)
Gewicht KG Weight (lb)	1400 (3086)	1500 (3307)	1900 (4189)	2100 (2630)	1750 (3858)	2000 (4409)	2400 (5291)	2650 (5842)
<b>Bandfilter extern Filter unit external</b>	<b>Filter in Edelstahlausführung, Filter execution in stainless steel</b>							
Länge mm Lenght (inch)	1950 (76,8)							
Breite mm width (inch)	820 (32,3)							
Höhe mm Height (inch)	650 (25,6)							
Gewicht KG Weight (lb)	150 (330)							
Pumpe Leistung Liter Pump Power Gallon	150 (39,6)							
Tank Volumen Liter Tank Capacity Gallon	260 (69,3)							

**High End Maschinen Edelstahlausführung**  
**High End Machines stainless steel execution**